

As of 03/26/2013

## Journal Articles

1. "On the Distribution of Rainflow Range for Gaussian Random Processes with Bimodal PSD", Shinsuke Sakai and Hiroyuki Okamura, JSME International Journal, A, Vol.38,No.4, p.440-445(1995)
2. "Internal displacement and elastic constants of the silicon Tersoff model", S.Izumi, S.Sakai, JSME International Journal Ser. A, Vol.47,No.1, p.54-61(2004)
3. " Computer-controlled Elastic-Plastic Fatigue Crack Growth Testing Using Multi-Task Programming", S. SAKAI,T. ASAKAWA and H. OKAMURA, Experimental Techniques 26-31, Vol.22,No.3, p.26-31(1998)
4. "The study of combined FEM-MD method for silicon", S.Izumi, S.Sakai, JSME International Journal, Series A, Vol.44,No.1, p.152-159(2000)
5. "Development of a flaw evaluation handbook of the high pressure institute of Japan", S.Sakai, et al., International J. Pressure Vessels and Piping, Vol.77, p.929-936(2000)
6. "Consistent method for system boundary definition in LCA: An application of sensitivity analysis", Hiroki HONDO, Shinsuke SAKAI, Journal of Advanced Science, Vol.13,No.3, p.491-494(2001)
7. "Formulation of sensitivity analysis in life cycle assessment using a perturbation method", S. Sakai, K. Yokoyama, Clean Techn. Environ. Policy , Vol.4,No.2, p.72-78(2002)
8. "Sensitivity analysis of total CO2 emission intensities estimated using an input-output table", H.Hondo, S. Sakai, S.Tanno, Applied Energy, Vol.72, p.689-704(2002)
9. "Parameter sensitivity study and uncertainty analysis of the multi-objective optimization in nuclear power plant maintenance", Juksanee VIRULSRI, Shinsuke SAKAI and Satoshi IZUMI, Proceedings of The Fifth Japan Conference on Structural Safety and Reliability, 283-290(2003)(2003)
10. "Quantitative characterization of fracture surface of full lamellar TiAl under high temperature creep and fatigue conditions on the basis of fractal concept.", A.T. Yokobori, Jr., S. Sakai, K.Yamagiwa and N. Yoshida, Strength, Fracture and Complexity, Vol.1, No.1, p.19-30(2003)
11. "A method for calculating surface stress and surface elastic constants by molecular dynamics; Application to the surface of crystal and amorphous silicon", S. Izumi, S. Hara, T. Kumagai, S. Sakai, Thin Solid Films, Vol.647, p.253-260(2004)
12. "Classification of amorphous-silicon microstructures by order parameters: Molecular dynamics study", S. Izumi, S. Hara, T. Kumagai, S. Sakai, Computational Materials Science, Vol.31.No.3-4, p.258-268(2004)
13. "Structural and mechanical properties of well-relaxed amorphous-crystal interface in silicon: Molecular dynamics study", S. Izumi, S. Hara, T. Kumagai, S. Sakai, Computational Materials

Science, Vol.31.No.3-4, p.279-286(2004)

14. "Development of a molecular dynamics potential for Si-H systems and its application to CVD reaction process", S. Izumi, Y. Sato, S. Hara, S. Sakai, Surface Science, Vol.560.No.1-3, p.1-11(2004)
15. "Method for quantitative evaluation of stretched zone width using two-dimensional local Hurst exponent", K.Yamagiwa, M.Takanashi, S.Izumi and S.Sakai, Strength, Fracture and Complexity, Vol.3, p.81-87(2005)
16. "Structural and Mechanical properties of amorphous silicon: ab-initio and classical molecular dynamics study", S. Hara, S. Izumi, T. Kumagai, S. Sakai, Surf. Sci., 585/1-2, (2005) pp.17-24.
17. "Development of specimen and test method for strength analysis of MEMS", S. Izumi, Chan Wee Ping, M. Yamaguchi, S. Sakai, A. Suzuki, Y. Ueda, Engineering Fracture Mechanics, 72/17 (2005) pp. 2672-2685.
18. "Application of three-dimensional dislocation dynamics simulation to the STI semiconductor structure", S. Izumi, T. Miyake, S. Sakai, H. Ohta, Materials Science Engineering A, Vol.395,1-2, p.62-69(2005)
19. "Strength Analysis of MEMS Micromirror Devices Effects of Loading Mode and Etching Damage", S. Izumi, Chan Wee Ping, M. Yamaguchi, S. Sakai, A. Suzuki, Y. Ueda, Key Engineering Materials, Vol. 297-300, Part 1, p.527-532(2005)
20. "Three-dimensional Finite Element Analysis on Tightening and Loosening Mechanism of Threaded Fastener", S. Izumi, T. Yokoyama, A. Iwasaki, S. Sakai, Engineering Failure Analysis, Vol.12,No.4, p.604-615(2005)
21. "Application of a multiobjective optimization to risk-based inservice testing ", Virulsri J, Sakai S, Izumi S, Iwasaki A , JOURNAL OF PRESSURE VESSEL TECHNOLOGY-TRANSACTIONS OF THE ASME, Vol.127,No.1, p.13-19(2005)
22. "Unsupervised statistical damage diagnosis for structural health monitoring of existing civil structures ", Iwasaki A, Todoroki A, Sugiya T, Izumi S, Sakai S , SMART MATERIALS & STRUCTURES, Vol.14,No.3, p.S154-S161 (2005)
23. "Development of bond-order potentials that can reproduce the elastic constants and melting point of silicon for classical molecular dynamics simulation ", T. Kumagai, S. Izumi, S. Hara, S. Sakai, Comp. Mat. Sci. 39 (2007) 457–464.
24. "Development of a bond-order type interatomic potential for Si-B systems", T. Kumagai, S. Hara, S. Izumi, S. Sakai, Modelling Simul. Mater. Sci. Eng, 14, p.29-37(2006)
25. "Small Loosening of Bolt-nut Fastener due to Micro Bearing-surface Slip: A Finite Element Method Study", Satoshi IZUMI, Masatake KIMURA, and Shinsuke SAKA, J. Solid Mech. and Mater. Eng, 1-11, p.1374-1384(2007)
26. "Development of Interatomic Potential for Zr-Ni Amorphous Systems", T. Kumagai, D.

- Nikkuni, S. Hara, S. Izumi and S. Sakai, *Materials Transactions*, 48-6, p.1313-1321(2007)
27. "Diagnostic Method for Delamination Monitoring of CFRP Plate using Kriging Interpolation Method", A.Iwasaki, A.Todoroki, S.Izumi, S.Sakai, *Key Engineering Materials*, Vols. 353-358, p.1422-1426(2007)
  28. "Evaluation of Loosening Resistance Performance of Conical Spring Washer by Three-dimensional Finite Element Analysis", Takashi YOKOYAMA, Kunio OISHI, Masataka KIMURA, Satoshi IZUMI, and Shinsuke SAKAI, *J. Solid Mech. and Mater. Eng.*, 2-1, p.38-46(2008)
  29. "Development of New Metallic Gasket and its Optimum Design for Leakage Performance", Hasan Aftab Saeed, Satoshi Izumi, Shinsuke Sakai, Shigeyuki Haruyama, Masato Nagawa, Hideki Noda, *J. Solid Mech. and Mater. Eng.*, 2-1, p.106-114(2008)
  30. "Simulations of an Interface Crack Nucleation During Nanoindentation : Molecular Dynamics and Finite Element Coupling Approach", S. Hara, S. Izumi, S. Sakai, Y. Eguchi, T. Iwasaki, *Mater. Res. Soc. Symp. Proc.*, 1086, p.08-29(2008)
  31. "Damage and Fault Diagnosis of In-service Structure via Statistical Comparison of Relation between Sensor measurements", A.IWASAKI, A.TODOROKI, Y.SHIMAMURA, T.SUGIYA, S.IZUMI, S.SAKAI, *Journal of Solid Mechanics and Materials Engineering*, Vol. 2, No. 8, p.1114-1125(2008)
  32. "Loosening-resistance evaluation of double-nut tightening method and spring washer by three-dimensional finite element analysis", S. Izumi, T. Yokoyama, A. Kimura, S. Sakai, *Engineering Failure Analysis*, 16, p.1510-1519(2009)
  33. "Multiscale analysis on the onset of nanoindentation-induced delamination: Effect of high-modulus Ru overlayer", S. Hara, T. Kumagai, S. Izumi, S. Sakai, *Acta Mater.*, Vol.57, p.4209-4216(2009)
  34. "Reaction pathway analysis for dislocation nucleation from a Ni surface step", S. Hara, S. Izumi, S. Sakai, *J. Appl. Phys.*, Vol.106, p.093507(2009)
  35. "Reaction Pathway Analysis for Dislocation Nucleation from a Sharp Corner in Silicon: Glide Set versus Shuffle Set", K. Shima, S. Izumi and S. Sakai, *J. Appl. Phys.*, Vol.108, p.06350(2010)
  36. "Anisotropy Behavior of Dislocation Nucleation from a Sharp Corner in Copper", Y.Sun, S.Izumi, S.Hara, S.Sakai, *Journal of Computational Science and Technology*, Vol. 5, No. 1, p.pp.54-61.(2011)
  37. "Atomic-Level Modelling for Predicting Interface Strength in Resin Molded Structures", Miki YAMAZAKI, Tomio IWASAKI, Satoshi IZUMI and Shinsuke SAKAI, *J. Solid Mech. and Mater. Eng.*, Vol. 5, No. 1, p.pp. 2026-2040(2011)
  38. "Planar mobility modes of 8-bar-jointed structures with a single degree of freedom", H.Tanaka,

- Y.Shibutani, S.Izumi, S.Sakai, International Journal of Solids and Structures, Vol.49, p.1712-1722(2012)
39. "Saddle-shape warpage of thick 3C-SiC wafer: effect of nonuniform intrinsic stress and stacking faults", Y. Sun, S. Izumi, S. Sakai, K. Yagi, H. Nagasawa, *physica status solidi (b)*, Vol.249, p.555-559(2012)
  40. "Investigation into the Self-Loosening Behavior of Bolted Joint Subjected to Rotational Loading", Takashi Yokoyama, Måarten Olsson, Satoshi Izumi, Shinsuke Sakai, *Engineering Failure Analysis*, Vol.23, p.35-43(2012)
  41. "Design Evaluation Method for Random Fatigue Based on Spectrum Characteristics", Sakai, S., Okajima, S., Izumi, S., and Kasahara, N., *Trans. ASME J. Pressure Vessel Technol.*, Vol.134, No.3, p.031204(2012)

## Proceedings

1. S.Sakai, Y.Watanabe, S.Izumi, A.Iwasaki and T.Ogawa,"Determination of Creep Constitutive Law of Solder Materials Using Indentation Creep Test",ASME Pressure Vessels and Piping Division Conference,Denver, Colorado, USA,,2005.7.17,
2. S.Okajima, S.Sakai, S.Izumi, A.Iwasaki and N.Kasahara,"Fatigue Damage Evaluation for Thermal Striping Phenomena Using Analytical Spectrum Method",ASME Pressure Vessels and Piping Division Conference,Denver, Colorado USA,,2005.7.17,
3. S.Sakai,"Current Status of Developing RBI Guideline in Japan",ASME Pressure Vessels and Piping Division Conference,Vancouver Canada,,2006.7.23,
4. S.Sakai, K.Honda, S.Okajima, S.Izumi and N.Kasahara,"Direct Damage Evaluation Method for Thermal Fatigue Based on Power Spectrum Density Functions",ASME Pressure Vessels and Piping Division Conference,San Antonio, Texas USA,,2007.7.22,
5. T.Yokoyama, S.Izumi and S.Sakai,"LOOSENING RESISTANCE EVALUATION OF DOUBLE-NUT TIGHTENING ",ASME Pressure Vessels and Piping Division Conference,Chicago, Illinois USA,,2008.7.27,
6. S.Sakai, S.Okajima, S.Izumi and N.Kasahara,"DESIGN EVALUATION METHOD FOR RANDOM FATIGUE BASED ON SPECTRUM CHARACTERISTICS ",ASME Pressure Vessels and Piping Division Conference, Prague, Czech Republic,PVP2009-77217,2009.7.26,
7. N.Miura, N.Soneda, S.Sawai and S.Sakai,"PROPOSAL OF RATIONAL DETERMINATION OF FRACTURE TOUGHNESS ", ASME 2009 Pressure Vessels and Piping Division Conference ,Prague, Czech Republic,PVP2009-77360,2009.7.26,
8. T.Yokoyama, S.Izumi and S.Sakai,"ANALYTICAL MODELING OF THE TRANSVERSE LOAD-DISPLACEMENT ", ASME 2009 Pressure Vessels and Piping Division Conference, Prague, Czech Republic,PVP2009-77612 ,2009.7.26,

9. Shinsuke Sakai,"Overview and Future Development on Reliability Engineering in Japan",ASME/JSME Workshop, Codes and Standards Supporting the Global Renaissance of Nuclear Power Generation,Kobe Portopia Hotel, Kobe, Japan,,2009.10.14,
10. Kenta Yamagiwa , Satoshi Kataoka, Satoshi Izumi, Shinsuke Sakai,"Measurement of three dimensional geometry of creep void and grain",International Conference on Fracture and Strength,Sendai,,2010.10.4,
11. Shinsuke Sakai,"Next stage of risk based engineering in Japan",5th International Workshop on Risk-Based Engineering,北京科学技術大学,,2010.11.17,
12. K.Yamagiwa, S.Kataoka, S.Izumi and S.Sakai,"MEASUREMENT OF THREE DIMENSIONAL GEOMETRY OF CREEP VOID AND", ASME 2011 Pressure Vessels & Piping Division Conference, Baltimore, Maryland, USA,,2011,
13. S.Sakai, M.Takanashi, J.Maeda and S.Izumi,"A RELIABILITY BASED CONTOUR FATIGUE DESIGN APPROACH FOR NUCLEAR PIPING", ASME 2011 Pressure Vessels & Piping Division Conference,,PVP2011-57416,2011.7.17,
14. M.Takanashi, M.Higuchi, J.Maeda and S.Sakai,"FATIGUE DESIGN MARGIN EVALUATION FOR CARBON AND LOW-ALLOY ", ASME 2011 Pressure Vessels & Piping Division Conference ,Baltimore, Maryland, USA,,2011.7.17,
15. Shinsuke Sakai, Toshikazu Shibazaki,Hiroaki Masatomo and Hiroshima Ishimaru,"Development of RBM Standards for Pressurized Equipments in Japan",International Conference on Materials and Reliability,Busan, Korea,,2011.11.21,